



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

THE NOTIFIABLE DISEASES.

THEIR PREVALENCE BY STATES DURING 1913.

DIPHTHERIA, MEASLES, MENINGITIS (EPIDEMIC CEREBROSPINAL), POLIOMYELITIS, ROCKY MOUNTAIN SPOTTED (OR TICK) FEVER, SCARLET FEVER, SMALLPOX, TUBERCULOSIS, TYPHOID FEVER—CASES REPORTED, CASE RATES PER THOUSAND POPULATION, AND FATALITY RATES PER HUNDRED CASES.

In the Public Health Reports of January 16, 1914, there were published tables showing for the year 1912 the number of cases of notifiable diseases reported in certain States, also the number of deaths registered from these diseases, the case rates per 1,000 inhabitants, and the fatality rates per 100 cases. The data from which the tables were compiled were obtained from the records of the several State departments of health and were forwarded by the respective health departments. It is believed that every State making a serious effort to obtain information regarding or to keep records of the prevalence of disease, furnished data. While the information given was not complete for the entire United States, it may be assumed to have contained all existing data in any way dependable.

The tables herewith contain similar data for the year 1913 and include reports from the following States:

Alabama.	Kansas.	Oklahoma.
Arizona.	Maryland.	Oregon.
California.	Massachusetts.	South Carolina.
Connecticut.	Michigan.	South Dakota.
District of Columbia.	Minnesota.	Utah.
Hawaii.	Montana.	Virginia.
Idaho.	Nebraska.	Washington.
Illinois.	Nevada.	Wisconsin.
Indiana.	New Jersey.	Wyoming.
Iowa.	New York.	

The populations used in computing the case rates were those estimated by the Bureau of the Census as of July 1, 1913.

The excellent results being obtained in certain States in the enforcement of requirements for the notification of communicable diseases are shown in many instances in the large number of cases reported as compared with deaths registered from the same causes and in the fatality rates computed from the cases notified and the deaths registered.

It is to be borne in mind that a high fatality rate may mean that the disease is unusually virulent in a State, that the physicians do not treat it as successfully in that State as in other States, or that the morbidity reports are unduly incomplete. On the other hand, an unusually low fatality rate may be due to the fact that the disease in that State is unusually mild, that the physicians of the State treat it with unusual success, that the morbidity reports are exceptionally complete, or that the registration of deaths is incomplete, or the assignment of the causes of death inaccurate.

SUMMARIES OF HIGHEST AND LOWEST RATES.**DIPHTHERIA.***Case rates per annum per 1,000 inhabitants.*

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Connecticut.....	2.246	Idaho.....	0.074
New Jersey.....	2.212	Nevada.....	.127
Illinois.....	2.126	Arizona.....	.172

Fatality rates per 100 cases.

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Alabama.....	28.43	District of Columbia.....	4.91
Iowa.....	18.61	South Dakota.....	5.88
Oklahoma.....	18.29	Kansas.....	6.33

MEASLES.*Case rates per annum per 1,000 inhabitants.*

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Utah.....	26.734	Arizona.....	0.398
District of Columbia.....	16.413	Wyoming.....	.588
Massachusetts.....	7.926	Hawaii.....	.839

Fatality rates per 100 cases.

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Arizona.....	26.09	Nevada.....	0.23
California.....	8.57	District of Columbia.....	.44
Wyoming.....	7.29	Hawaii.....	.62

MENINGITIS (EPIDEMIC CEREBROSPINAL).*Case rates per annum per 1,000 inhabitants.*

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Arizona.....	0.468	Minnesota.....	0.008
Nevada.....	.116	South Dakota.....	.011
Alabama.....	.076	South Dakota.....	.012

Fatality rates per 100 cases.

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Hawaii.....	100.00	Kansas.....	22.22
New York.....	92.19	South Dakota.....	37.50
Nevada.....	90.91	Minnesota.....	61.11

SUMMARIES OF HIGHEST AND LOWEST RATES—Continued.**POLIOMYELITIS (ACUTE INFECTIOUS).***Case rates per annum per 1,000 inhabitants.*

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Virginia.....	0.116	Nebraska.....	0.004
Massachusetts.....	.102	Oregon.....	.004
Nevada.....	.053	Maryland.....	.008

Fatality rates per 100 cases.

Highest.		Lowest.	
States.	Rates.	States.	Rates.
South Dakota.....	62.50	Kansas.....	16.67
Iowa.....	56.00	Illinois.....	18.25
Michigan.....	55.36	Hawaii.....	20.00
Washington.....	50.00	Nevada.....	20.00

SCARLET FEVER.*Case rates per annum per 1,000 inhabitants.*

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Utah.....	2.520	Hawaii.....	0.073
Illinois.....	2.496	South Carolina.....	.078
Massachusetts.....	2.271	Alabama.....	.157

Fatality rates per 100 cases.

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Arizona.....	22.22	Utah.....	1.47
Wyoming.....	9.57	Nevada.....	2.24
Montana.....	8.40	District of Columbia.....	2.34

SMALLPOX.*Case rates per annum per 1,000 inhabitants.*

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Utah.....	6.014	New Jersey.....	0.023
Nevada.....	2.755	Massachusetts.....	.044
Montana.....	1.761	New York.....	.085

SUMMARIES OF HIGHEST AND LOWEST RATES—Continued.**SMALLPOX—Continued.***Fatality rates per 100 cases.*

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Oklahoma.....	4.19	Wisconsin.....	0.10
Texas.....	3.57	Illinois.....	.12
California.....	1.88	New York.....	.12
Maryland.....	1.52	Washington.....	.12

TUBERCULOSIS.*Case rates per annum per 1,000 inhabitants.*

Highest.		Lowest.	
States.	Rates.	States.	Rates.
District of Columbia.....	3.379	South Dakota.....	0.053
New York.....	3.199	South Carolina.....	.280
Hawaii.....	2.960	Oklahoma.....	.408

Fatality rates per 100 cases.

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Minnesota.....	88.87	South Dakota.....	14.71
Oklahoma.....	78.63	Kansas.....	30.93
Connecticut.....	72.03	Maryland.....	34.01

TYPHOID FEVER.*Case rates per annum per 1,000 inhabitants.*

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Virginia.....	2.803	South Dakota.....	0.222
Utah.....	2.404	Wisconsin.....	.280
Maryland.....	2.243	Oregon.....	.429

Fatality rates per 100 cases.

Highest.		Lowest.	
States.	Rates.	States.	Rates.
Alabama.....	43.36	Kansas.....	6.83
Wyoming.....	34.72	Utah.....	9.25
Wisconsin.....	30.72	Nevada.....	9.73

REPORTED PREVALENCE OF CERTAIN DISEASES, BY MONTHS, DURING THE CALENDAR YEAR 1913: CASE RATES PER ANNUM PER 1,000 POPULATION; AND FATALITY RATES PER 100 CASES, FOR CERTAIN STATES.

DIPHTHERIA.

	Estimated population July 1, 1913.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama ¹	2,238,614	31	9	28	3	34	5	13	4	21	3	12	2	9	
Arizona.....	230,808	1		3		3		2		1					
California.....	2,667,516	154	12	71	7	154	17	107	22	112	11	110	15	99	5
Connecticut.....	1,181,793	303	20	219	23	158	14	138	21	201	23	156	10	139	13
District of Columbia.....	348,077	56	3	31	4	35	1	30	4	67	1	37	1	19	1
Hawaii.....	191,909	21	1												
Idaho.....	378,818	2		6	2	9		4	1	8	1	3		10	3
Illinois.....	5,904,043	1,623	172	1,220	125	1,061	124	873	115	942	118	918	97	649	74
Indiana.....	2,760,792	1,428	66	332	48	189	24	147	23	145	30	129	21	126	20
Iowa.....	2,222,472	117	32	97	18	74	11	109	12	61	9	36	5	26	7
Kansas.....	1,762,573	71	6	59	4	55	4	39	5	55	4	24		14	1
Maryland ²	1,330,209	88	11	73	10	71	6	42	5	38	3	32	4	37	4
Massachusetts.....	3,548,705	605		562		592		565		585		487		407	
Michigan.....	2,986,618	428	59	332	50	368	55	345	55	342	44	285	47	259	52
Minnesota.....	2,181,077	222	18	223	14	211	23	240	32	265	17	200	12	141	11
Montana.....	419,174	14	2	13	1	12	1	15		4	1	9	1	9	3
Nebraska.....	1,233,122		17		11		12		7		6		3		2
Nevada.....	94,722			1				4		2				4	
New Jersey.....	2,749,486	593	44	429	44	450	64	449	41	576	46	433	38	297	25
New York.....	9,712,954	2,191	163	1,907	206	1,909	210	1,879	201	1,865	168	1,660	155	1,287	113
Oklahoma.....	1,938,761	88	14	71	10	55	7	31	3	23	5	15	6	27	4
Oregon.....	756,988	72	3	19	2	24	3	25	2	26	2	21	2	20	2
South Carolina.....	1,572,285	54				49		72		41		46		36	
South Dakota.....	643,121	58	1	14		42	3	22	1	43	3	14	1	26	
Utah.....	404,735	19	2	20	2	11		29	3	12	3	11		16	3
Virginia.....	2,129,003	203		114		92		70		47		66		79	
Washington.....	1,344,686	73	7	60	5	69	2	79	4	66	2	45	2	34	4
Wisconsin.....	2,419,898	243	31	181	18	151	22	192	21	140	27	146	17	137	24
Wyoming ¹	2,163,325		2	9	1	2		7	2	1				7	

	August.		September.		October.		November.		December.		Total cases, 1913.	Total deaths, 1913.	Case rate per annum per 1,000 inhabitants.	Fatality rate per 100 cases.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.				
Alabama ¹	54	17	103	17	101	39	60	35	44	11	510	145	0.228	28.43
Arizona.....											310	31	.172	10.00
California.....	102	6	118	17	199	19	245	23	188	26	1,659	184	.622	11.09
Connecticut.....	107	10	166	20	264	21	391	27	362	21	2,654	220	2.246	8.29
District of Columbia.....	15		25	1	78	6	82	1	55	3	530	26	1.523	4.91
Hawaii.....	14	3	10	2	6		8	1	20	1	119	15	.620	12.60
Idaho.....	4		1				2				28	4	.074	14.29
Illinois.....	476	57	767	69	1,325	99	1,378	126	1,318	121	12,550	1,296	2.176	10.33
Indiana.....	195	36	397	45	727	61	775	72	487	50	4,077	496	1.477	12.17
Iowa.....	27	8	43	7	83	14	104	10	88	28	865	161	.389	18.61
Kansas.....	53	2	50	2	83	6	112	6	112	6	727	46	.412	6.33
Maryland ²	47	10	69	7	192	16	204	24	155	15	1,048	115	1.788	10.97
Massachusetts.....	322		445		462		706		817		6,735	(¹)	1.898	
Michigan.....	271	37	417	57	618	72	841	67	906	57	5,412	652	1.843	12.05
Minnesota.....	149	8	187	8	354	17	483	21	398	28	3,073	209	1.469	6.80
Montana.....	19	2	9	3	5		16	1	13	2	138	17	.329	12.32
Nebraska.....		1		1		11		9			80	80		
Nevada.....	327	35	431	47	703	46	721	63	673	66	6,082	559	2.212	8.35
New Jersey.....	986	101	1,131	87	1,631	106	1,338	135	2,860	162	20,114	1,807	2.071	8.98
New York.....														
Oklahoma.....	45	6	65	19	145	28	139	13	105	33	899	148	.417	18.29
Oregon.....	23	4	17	1	18		21	2	36		322	28	.425	8.70
South Carolina.....	171		242		460		329		433		2,093		1.274	
South Dakota ¹	7		23	5	16		48	4	27	2	340	20	.599	5.88
Utah.....	14	1	21	3	24	5	21	3	28	4	226	29	.568	12.83
Virginia.....	302		429		700		613		354		3,609	(¹)	1.695	
Washington.....	28	1	37	3	25	1	40	5	39	8	595	44	.442	7.39
Wisconsin.....	160	16	115	21	277	20	268	36	277	33	2,287	286	.945	12.51
Wyoming ¹	2		12		7		2		1		50	8	.306	16.00

¹ The health officer states that cases are known not to be completely reported.² Exclusive of the city of Baltimore.³ For six months only.
⁴ Deaths were not reported.

REPORTED PREVALENCE OF CERTAIN DISEASES, BY MONTHS, DURING THE CALENDAR YEAR 1913; CASE RATES PER ANNUM PER 1,000 POPULATION; AND FATALITY RATES PER 100 CASES, FOR CERTAIN STATES—Continued.

MEASLES.

	Estimated population July 1, 1913.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Arizona.....	230,808	9	1	6	1	1	1	17	3	7	1	6	5		
California.....	2,687,516	229	4	200	8	266	8	315	29	315	37	215	23	89	13
Connecticut.....	1,181,793	591	2	619	6	821	11	1,113	17	1,029	15	693	10	257	6
District of Columbia.....	348,077	681	2	1,400	2	2,110	9	982	4	1,329	6	131	1	26	
Hawaii.....	191,909	4	1	9		17		8		17		56		30	
Idaho.....	378,818	18		138	1	205	1	160	1	82	2	77		18	1
Illinois.....	5,904,043	3,718	67	5,840	91	6,826	126	6,872	131	4,599	83	2,856	63	671	22
Indiana.....	2,760,792		26		52		84		83		91		49		16
Iowa.....	2,222,472	229	2	1,115	4	2,024	21	1,960	5	2,024	21	104		71	6
Kansas.....	1,762,573														
Maryland ²	1,330,209	231	3	654	7	1,253	10	1,194	23	851	18	508	12	285	7
Massachusetts.....	3,548,705	3,236		4,412		5,206		5,580		4,449		2,846		882	
Michigan.....	2,936,618	783	19	1,078	17	1,031	29	1,119	28	1,586	48	1,060	29	251	30
Minnesota.....	2,181,077	338		838	15	1,157	41	1,318	36	1,107	42	392	24	155	11
Montana.....	419,174	43	1	171	1	375	4	408	5			131		59	
Nebraska.....	1,233,122		1		2		6		2		6		3		1
Nevada.....	94,722	31		65		84		52		107	1	23		2	
New York.....	9,712,954	6,609	99	7,920	88	9,877	152	10,611	132	11,117	176	8,257	131	3,711	84
Oklahoma.....	1,938,761	54	1	384	14	95	28	1,155	26	586	22	250	13	120	9
Oregon.....	756,988	28		95		159	2	204		226		187	2	145	
South Carolina ¹	1,572,285	32		8		507		846		256		200		67	
South Dakota ¹	543,121	374	1	301		300	6	555	7	618	6	153	3	47	
Utah.....	404,735	2,001	12	2,620	31	2,039	20	1,941	19	1,194	26	685	5	106	6
Washington ¹	1,344,686	352	3	499	5	1,058	16	1,282	14	1,970	18	319	15	86	9
Wisconsin.....	2,419,898	454	5	218	7	900	16	1,133	25	1,036	14	1,058	18	238	4
Wyoming.....	163,325				1	11		25	1	41		19	3		

	August.		September.		October.		November.		December.		Total cases, 1913.	Total deaths, 1913.	Case rate per annum per 1,000 inhabitants.	Fatality rate per 100 cases.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.					
Arizona.....											3 46	3 12	0.398	26.09	
California.....	39	12	23	1	42	7	19	2	44	5	1,796	154	5.673	8.57	
Connecticut.....	58	6	37	2	121	3	282	5	741	14	6,362	97	5.383	1.52	
District of Columbia.....	5		3		22		8	1	13		5,713	25	16.413	.44	
Hawaii.....	7		2		2				7		161	1	.839	.62	
Idaho.....	56		5				9		54		822	6	2.170	.73	
Illinois.....	159	13	132	5	445	3	613	10	1,080	14	33,791	628	5.723	1.86	
Indiana ¹		10		2		2		3		9		427			
Iowa.....		1		1		1						117			
Kansas.....	32	1	15		15		49	1	49	1	7,687	54	4.361	.70	
Maryland ²	50	1	48	4	18		56	3	204		5,352	88	4.023	1.64	
Massachusetts.....	251		141		333		345		445		28,126	(4)	7.926		
Michigan.....	102	27	113	5	451	8	540	6	1,151	11	9,265	237	3.155	2.77	
Minnesota ¹	61	3	38	2	85	5	230	6	150		5,869	192	2.691	3.27	
Montana.....	25		32		57		89	1	304	5	2,094	17	4.996	.81	
Nebraska.....		2										23			
Nevada.....	3		5				51		11		434	1	4.582	.23	
New York.....	987	48	590	17	1,520	26	1,634	40	2,237	67	65,070	1,060	6.699	1.63	
Oklahoma.....	21		14		27	1	75	1	43		2,824	119	1.457	4.21	
Oregon.....	24	1	12		40		145	2	330	5	1,595	12	2.107	.75	
South Carolina ¹	103		45		62		34		20		2,180		1.387		
South Dakota ¹	6		2		7		15		33		2,411	23	3.749	.95	
Utah.....	36		11	1	25		66		96		10,820	127	26.734	1.77	
Washington ¹	35		39		95	3	178	2	377	5	5,290	93	3.934	1.76	
Wisconsin.....	65	8	45	2	237	4	284	6	349	4	6,067	113	2.469	1.87	
Wyoming.....		1		1							96	7	.588	7.29	

¹ The health officer states that cases are known not to be completely reported.² Exclusive of the city of Baltimore.³ For the first six months only.⁴ Deaths were not reported.

REPORTED PREVALENCE OF CERTAIN DISEASES, BY MONTHS, DURING THE CALENDAR YEAR 1913: CASE RATES PER ANNUM PER 1,000 POPULATION; AND FATALITY RATES PER 100 CASES, FOR CERTAIN STATES—Continued.

MENINGITIS (EPIDEMIC CEREBROSPINAL).

	Estimated population July 1, 1913.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama ¹	2,238,614	26	13	32	12	17	17	39	22	27	23	14	10	3	6
Arizona.....	230,808	5	1	9	10	18	20	14	5	5	2	3	4		
California.....	2,667,516	7	2	4	4	18	6	8	5	6	2	2	6	3	3
Connecticut.....	1,181,793	5	2	4	4	5	2		2	2	1	3	2	1	2
District of Columbia.....	348,077			1	1					1	1			1	1
Hawaii.....	191,909	1		1					3			2	1		
Illinois.....	5,904,043	32	4	8	7	23	13	18	15	13	16	9	10	8	8
Indiana.....	2,760,792	10	1	6	8	6	4	8	10	3	4	4			
Iowa ¹	2,232,472	8	2	4	2	3	2	7	1	4	1	2	5	2	1
Kansas.....	1,762,573														
Maryland ²	1,330,209		3	1	9	1	10		6	2	8		11	2	7
Massachusetts.....	3,548,705	14		15		25		16		18		13		6	
Minnesota ¹	2,181,077			3		1	1	4	2	2	1	1		1	3
Montana ¹	419,174		12		8		15	3	11	2	6	5	7	2	7
Nebraska.....	1,233,122		10		5		3		12		1		8		
Nevada.....	94,722	3	3	2	1	1	1			1	1	1		1	1
New York.....	9,712,954	29	32	25	20	32	31	25	31	26	23	25	25	25	16
Oklahoma.....	1,888,761		2		18		9		11		5		2		6
South Carolina.....	1,572,285					1		7		2		14		1	
South Dakota.....	643,121									3	2				
Utah.....	404,735				3		5		6		12		6		
Washington ¹	1,344,686	1	3		5	1	4	1	6			1		2	1
Wisconsin.....	2,419,898	10	45	9	37	14	37	13	44	2	53	16	32	6	31
Wyoming.....	163,325				1		2		1				2		

	August.		September.		October.		November.		December.		Total cases, 1913.	Total deaths, 1913.	Case rate per annum per 1,000 inhabitants.	Fatality rate per 100 cases.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.				
Alabama ¹	2	2	4	2	3			2		1	171	110	0.076	64.3
Arizona.....											54	42	.468	77.78
California.....	3	5		3	7	8		4	5		67	49	.025	73.13
Connecticut.....	3	3	2	2	1		1	2	4	1	31	23	.026	74.19
District of Columbia.....			1	1							4	3	0.11	75.00
Hawaii.....			1	1	1	1					6	6	.031	100.00
Illinois.....	9	3	21	11	12	9	13	6	11	9	177	111	.030	62.71
Indiana.....		4	1	3		1		2			20	50		
Iowa.....	3	4		2	7	1	2	4		2	50	54		
Kansas.....	1		1		2		1		2		36	8	.020	22.22
Maryland ¹	1	7		8	2	6		7		4	11	86		
Massachusetts.....	14		14		11		14		18		178	(4)	.050	
Minnesota ¹	4		1	1			1	1			2	18	.008	61.11
Montana ¹	2	4	1	2		5	1	6		5	16	88		
Nebraska.....		11		9		10		10				86		
Nevada.....					1	1	1	1	1	1	11	10	.116	90.91
New York.....	26	27	45	33	36	18	19	29	20	22	333	307	.034	92.19
Oklahoma.....		9		3		6		17		2		90		
South Carolina.....	4		1		1				1		32		.020	
South Dakota.....			3						2	1	8	3	.012	37.50
Utah.....		2		2		1		1				38		
Vermont ¹		4	3		3	5		3	1	2	12	35		
Wisconsin.....	8	23	3	34	6	22	8	26	13	27	108	411		
Wyoming.....		1				1			8	3	8	11		

¹ The health officer states that cases are known not to be completely reported.² Exclusive of the city of Baltimore.³ For the first 6 months only⁴ Deaths were not reported.

REPORTED PREVALENCE OF CERTAIN DISEASES; BY MONTHS, DURING THE CALENDAR YEAR 1913. CASE RATES PER ANNUM PER 1,000 POPULATION; AND FATALITY RATES PER 100 CASES, FOR CERTAIN STATES—Continued.

POLIOMYELITIS (INFANTILE PARALYSIS).

	Estimated population July 1, 1913.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama.....	2,238,614	1	1	1	1	2	4	1	1	1	1	6	4	8	5
California.....	2,687,516	6	4	3	3	2	3	6	4	4	1	2	1	16	6
Connecticut.....	1,181,703	1	1	1	1	1	1	1	1	1	1	1	1	2	1
District of Columbia.....	348,077	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Hawaii.....	191,909														
Idaho.....	378,818					1	1	1	1	1	1	3	1	1	1
Illinois.....	5,904,043	9	4	17	2	20	4	7	2	5	1	15	1	9	3
Indiana.....	2,760,792	3	3	6	2	4	3	2	2	5	3	1	2	22	8
Iowa.....	2,222,472	2	2	1	1	1	1	1	1	1	1	2	2	7	1
Kansas.....	1,762,573	5	2	1	1	1	1	1	1	1	1	1	1	27	1
Maryland ^{1,2}	1,330,209		1	1	2	4	1	1	2	6	1	1	1	1	1
Massachusetts.....	3,548,705	4	1	4	1	4	4	2	2	1	1	1	1	10	3
Michigan.....	2,936,618	3	3	1	1	4	5	3	3	1	1	4	1	1	3
Minnesota.....	2,181,077	2	4	1	1	2	2	2	5	2	3	2	3	11	2
Montana.....	419,174											1	1		
Nebraska.....	1,233,122			1	1						1				1
Nevada.....	94,722	1	1			1	1								
New Jersey.....	2,749,486	2	1	6	1	5	1	3	1	1	1	3	1	3	2
New York.....	9,712,954	21	11	8	4	6	4	11	9	18	4	15	6	55	14
Oregon.....	756,988			1	1	1	1								
South Dakota.....	643,121			2	2	1	1								
Utah.....	404,735														
Virginia.....	2,129,003	17	18			8		18		20		11	2	28	
Washington.....	1,344,686	1	1			3		1	1					1	1
Wisconsin.....	2,419,888	6	2		2	2	2	1	1			2	2	2	5

	August.		September.		October.		November.		December.		Total deaths, 1913.	Case rate per annum, per 1,000 inhabit- ants.	Fatality rate per 100 cases.	
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.				
Alabama.....	10	3	3	1	19	3	14	5	1	1	20	0.033	36.67	
California.....	3	4	4	1	11	1	4	8	2	8	33	.025	36.67	
Connecticut.....	1	1	2	1	1	1	2	2	1	1	5	.014	20.00	
District of Columbia.....	1	1	1	1	1	1	2	2	1	1	1	.026	20.00	
Hawaii.....	3	1	1	1	1	1	1	1	1	1	4	.026	40.00	
Idaho.....	17	6	6	1	9	2	8	2	4	1	23	.021	18.25	
Illinois.....	23	6	14	5	14	4	8	2	3	4	126	.038	36.54	
Indiana.....	17	11	14	4	1	3	3	3	2	2	50	.022	56.00	
Iowa.....	12	5	10	6	22	6	9	2	2	2	90	.051	16.67	
Kansas.....	3	1	2	2	1	2	1	1	2	1	10	.008	40.00	
Maryland ^{1,2}	60	7	125	5	89	1	38	19	2	2	362	(3)	.102	55.36
Massachusetts.....	18	7	12	5	3	1	4	4	2	2	56	.019	55.36	
Michigan.....	31	4	14	4	4	1	5	5	1	1	74	.034	36.49	
Minnesota ¹	1	1	1	1	6	1	1	1	1	1	9	.021	36.49	
Montana.....	2	2	2	2	1	2	1	1	1	1	5	.004	20.00	
Nebraska.....	1	1	1	1	1	1	1	1	1	1	5	.053	20.00	
Nevada.....	12	16	16	6	16	2	7	7	1	1	18	.027	24.66	
New Jersey.....	79	20	114	19	98	16	35	13	22	3	482	.050	25.52	
New York.....	1	1	1	1	1	1	1	1	1	1	3	.004	33.33	
Oregon.....	2	2	2	2	1	2	1	1	1	1	5	.012	62.50	
South Dakota.....	2	2	1	1	2	1	1	1	1	1	8	.116	62.50	
Utah.....	39	36	36	1	20	1	21	10	10	10	246	(3)	.013	50.00
Virginia.....	16	2	1	1	1	1	1	1	2	3	18	.033	50.00	
Washington ¹	6	1	28	6	13	1	5	2	5	2	74	.031	33.78	
Wisconsin.....	10	1	1	1	1	1	1	1	1	1	25			

¹ The health officer states that cases are known not to be completely reported.² Exclusive of the city of Baltimore.³ Deaths were not reported.

	August.		September.		October.		November.		December.		Total cases, 1913.	Total deaths, 1913.	Case rate per annum per 1,000 inhabitants.	Fatality rate per 100 cases.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.				
Idaho.....	6	2	1								1 257	8		3.11
Minnesota.....											1			
Montana.....														
Nevada.....		2										9		
Oregon.....											6	1		16.67
Wyoming.....											3	3		100.00
												1		

¹ Including 5 cases not reported by months.

REPORTED PREVALENCE OF CERTAIN DISEASES, BY MONTHS, DURING THE CALENDAR YEAR 1913; CASE RATES PER ANNUM PER 1,000 POPULATION; AND FATALITY RATES PER 100 CASES, FOR CERTAIN STATES—Continued.

SCARLET FEVER.

	Estimated population July 1, 1913.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama ¹	2,238,614	16	2	35	4	52	1	18	1	12	1	13	1	17	
Arizona.....	230,808	5	2	7		2	1	9		2		3			
California.....	2,667,516	154	4	85	5	195	1	104	8	132	14	85	14	100	5
Connecticut.....	1,181,793	416	23	328	20	401	18	252	9	231	8	203	5	87	6
District of Columbia.....	1,348,077	86	3	60	2	83	3	49	1	48	2	21	1	20	
Hawaii.....	191,909	1	1	1				1		1				4	
Idaho.....	378,818	31	3	33	2	8		18	1	5		21		8	
Illinois.....	5,904,043	2,355	150	2,099	166	2,376	189	1,825	115	1,539	111	1,076	103	493	45
Indiana.....	2,760,792	564	13	699	24	641	38	578	24	367	20	320	16	97	4
Iowa.....	2,222,472	111	13	134	7	141	14	122	9	95	5	36	1	12	2
Kansas.....	1,762,573	233	5	104	3	213	4	124	4	213	4	47	1	39	1
Maryland ²	1,380,209	82	2	94		102		30		30		31	1	31	4
Massachusetts.....	2,483,706	961		948		1,017		812		721		521		251	
Michigan.....	2,866,618	503	37	604	25	620	45	451	48	409	24	330	21	196	13
Minnesota.....	2,181,077	263	9	362	11	586	31	515	27	394	27	223	14	174	10
Montana.....	419,174	58	2	58	2	120	11	158	24	155	13	67	11	50	3
Nebraska.....	1,223,122		4		4		14								
Nevada.....	194,722	18		30		22		15		23		11		5	
New Jersey.....	2,740,486	712	20	572	25	700	33	568	28	539	22	382	18	142	11
New York.....	9,712,964	2,221	89	2,183	86	2,730	130	2,294	122	2,037	126	1,310	98	663	42
Oklahoma.....	1,938,761	121	2	117	1	214	2	102		28	2	27		36	8
Oregon.....	1,756,988	88	2	68	5	88	3	89	2	75		50	3	46	1
South Carolina.....	1,572,285	10		3		12		6		5		6		6	
South Dakota.....	643,121	58	3	48	4	104	3	53		54	4	18	2	20	
Utah.....	404,735	93	1	196	3	101	3	70		42	1	32		42	
Washington.....	1,344,686	78	1	60	1	87	8	104	2	63	4	30	4	35	
Wisconsin.....	2,419,898	425	23	271	38	354	26	393	23	236	20	192	13	89	11
Wyoming.....	163,325	3	1	7	4	7		16		25		2	2	3	

	August.		September.		October.		November.		December.		Total cases, 1913.	Total deaths, 1913.	Case rate per annum per 1,000 inhabitants.	Fatality rate per 100 cases.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.				
Alabama ¹	20		37	3	67	1	33	1	32	4	352	17	0.157	4.83
Arizona.....											*27	*6	.234	22.22
California.....	78	4	84	7	244	1	228	14	206	8	1,085	85	.635	5.01
Connecticut.....	56	6	67		120	7	155	5	183	9	2,499	116	2.115	4.65
District of Columbia.....	14		20		64		37		54	1	556	13	1.597	2.34
Hawaii.....	1													
Idaho.....			1	1	2		3				14	1	.073	7.14
Illinois.....	309	24	323	29	625	27	879	31	55	2	207	10	.546	4.83
Indiana.....	135	6	227	8	483	11	486	13	434	40	14,736	1,020	2.496	6.92
Iowa.....	12	2	24	1	66	2	92	7	107	7	5,071	190	1.837	3.75
Kansas.....	46	2	48		122	3	109	5	109	5	1,497	37	.849	2.47
Maryland ²	18	3	58	2	130	4	120	4	152		822	23	.618	2.80
Massachusetts.....	196		268		503		747		1,120		8,060	(*)	2.271	
Michigan.....	125	9	201	8	234	15	267	8	315	17	4,111	270	1.400	6.57
Minnesota.....	113	9	95	7	190	6	250	10	370	20	3,487	181	1.599	6.19
Montana.....	23	3	32	5	60	3	83	1	76	1	940	79	2.243	8.40
Nebraska.....				2		7						52		
Nevada.....	96	9	198	8	245	10	295	8	357	1	134	3	1.415	2.24
New Jersey.....	436	21	535	21	663	25	867	30	1,246	46	4,806	208	1.748	4.33
New York.....											17,185	831	1.769	4.84
Oklahoma.....	48		34	2	34		81	2	80	33	922	52	.476	5.64
Oregon.....	25	1	33	1	33	3	36		29		660	21	.872	3.18
South Carolina.....	14		19		18		14		14		123		.078	
South Dakota ¹	6		18		24	1	33	2	41	1	477	20	.742	4.19
Utah.....	33		33	2	81		129	2	168		1,020	15	2.520	1.47
Washington.....	30		47	3	66	4	96		101	2	797	29	.593	3.64
Wisconsin.....	68	2	61	7	167	3	213	6	255	7	2,724	179	1.236	6.57
Wyoming.....	7	1	8		16		9	3	12		115	11	.704	9.57

¹ The health officer states that cases are known not to be completely reported.² Exclusive of the city of Baltimore.³ For the first 6 months only.⁴ Deaths were not reported.

REPORTED PREVALENCE OF CERTAIN DISEASES, BY MONTHS, DURING THE CALENDAR YEAR 1913; CASE RATES PER ANNUM PER 1,000 POPULATION; AND FATALITY RATES PER 100 CASES, FOR CERTAIN STATES—Continued.

SMALLPOX.

States.	Estimated population July 1, 1913.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama.....	2,238,614	166	2	130		106		98	1	130	1	129	1	61	
Arizona.....	230,808	1		40		57		51		33		25			
California.....	2,667,516	85	8	51	1	105		101		115		52		41	
Colorado.....	2,883,276	33		37		27		23	1	32		35		25	
Connecticut.....	1,181,793	4		7		5		3				1		1	
District of Columbia.....	348,077	15		10		37		5		34		26		3	
Florida.....	826,420	246		211		217	1	113		94		88		71	
Iaho.....	378,818	73		96	2	27		42		8		139	1	23	
Illinois.....	5,904,043	256	1	235	1	412		312		272		163		120	
Indiana.....	2,760,762	350		499		463	1	540		359	1	203		110	1
Iowa.....	2,222,473	234		294	3	416		336	1	229		134		46	
Kansas.....	1,762,573	41		84		87		228	2	27		30		41	1
Maine.....	757,936	25		16		34		36		27		10		10	
Maryland ¹	1,330,209	34	1	20		15		12		26		20		2	
Massachusetts.....	3,548,705	9		6		24		21		11		52		5	
Michigan.....	2,936,618	217		290	1	275	1	200		193		122		117	1
Minnesota ²	2,181,077	522	1	510		452		407	2	213	3	115	1	129	
Montana.....	163,174	73		86		79		89	1	48		61		59	
Nebraska.....	1,233,122														1
Nevada.....	94,722	99		30		24		35		50		17		2	
New Jersey.....	2,749,486	25		10		5		2		1		14			
New York.....	9,712,954	67		64		94		129		87		77		72	1
North Dakota.....	660,849	16		18		36		66		10		13		39	
Ohio.....	4,965,169	153		134		259		203	1	183		258		129	
Oklahoma.....	1,938,761	332	23	257	29	284	8	308	2	197	1	107		72	3
Oregon.....	756,988	113		129		126		107	1	77		93		76	1
Pennsylvania.....	8,107,942	29		33	8	32	1	10		25		44			
South Carolina.....	1,572,285	28	9	32		85		190		123		78		29	
South Dakota ²	643,121	63		50		124		116		46		46		30	
Texas.....	4,171,997	374	38	342	8	204	4	217	3	221		108		88	3
Utah.....	404,735	500		483	2	376	4	247		160		120		74	
Vermont.....	359,957	34		21		6		26		21		13		11	
Virginia.....	2,129,003	231		149		125		127		83		66		70	
Washington.....	1,344,686	239		192	1	211	1	192		190		135		61	
Wisconsin.....	2,419,898	194		180		180	2	257		143		141		55	
Wyoming.....	163,325	15		47		1		1		2		19		21	
Total.....		4,896	83	4,723	58	5,010	25	4,850	15	3,530	13	2,754	9	1,693	12

States.	August.		September.		October.		November.		December.		Total cases, 1913.	Total deaths, 1913.	Case rate per annum per 1,000 inhabit-ants.	Fatality rate per 100 cases.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.				
Alabama.....	32	1	2	12	35	25	926	6	0.414	0.65				
Arizona.....	35	35	35	35	64	81	207	15	.300	1.88				
California.....	6	3	24	24	29	15	800	1	.327					
Colorado.....	2	4	79	79	38	46	289	1	.161	.53				
Connecticut.....	2	2	8	54	1	5	140		.402					
District of Columbia.....	26	8	1	1	17	18	1,166	4	1.413	.34				
Florida.....	17	30	6	6	32	116	609	3	1.608	.49				
Idaho.....	46	38	70	70	281	300	2,505	3	1.424	.12				
Illinois.....	135	60	73	73	126	183	3,110	10	1.126	.32				
Indiana.....	15	21	53	53	114	1	239	5	.950	.24				
Iowa.....	10	14	24	24	83	83	812	4	.461	.49				
Kansas.....	7	2	1	1	1	1	158	2	.099	1.52				
Maine.....	7	5	8	8	6	3	157		.044					
Maryland ¹	69	53	83	83	257	182	1,988	3	.677	.15				
Massachusetts.....	26	37	114	114	125	216	2,866	7	1.314	.24				
Michigan.....	27	19	54	54	65	78	738	3	1.761	.41				
Minnesota ²	1	1	1	1	2	1	261	10	2.755					
Montana.....	1	1	1	1	2	1	63		.023					
Nebraska.....	1	1	2	2	3	3	828	1	.085	.12				
Nevada.....	1	1	2	2	73	73	73		.998					
New Jersey.....	27	32	67	67	39	39	385	4	.316	.16				
New York.....	13	68	200	200	353	529	2,501	8	.935	4.19				
North Dakota.....	32	26	1	25	102	161	1,910							
Ohio.....	39	26	1	25	102	161	1,910							
Oklahoma.....	15	17	30	30	188	43	1,014	3	1.340	.30				
Oregon.....	1	1	1	1	1	1	173	3						
Pennsylvania.....	34	4	13	13	27	38	681		.433					
South Carolina.....	30	19	25	25	92	92	658		1.023					
South Dakota ²	15	16	26	26	56	1	1,766	63	.423	3.57				
Texas.....	63	66	99	99	124	131	2,443	6	6.014	.25				
Utah.....	69	35	87	87	173	2	134	1	.372	.75				
Vermont.....	36	39	91	91	145	283	1,498		.704					
Washington.....	57	62	69	69	268	446	1,620	2	1.205	.12				
Wisconsin.....	8	2	1	1	6	5	2,052	2	.848	.10				
Wyoming.....	8	2	1	1	6	5	128		.784					
Total.....	956	2	734	1,444	2,796	3,723	37,109	4,259						

¹ Exclusive of the city of Baltimore.
² The health officer states that cases are known not to be completely reported.
³ Incomplete.
⁴ Including one death not reported by month.

REPORTED PREVALENCE OF CERTAIN DISEASES, BY MONTHS, DURING THE CALENDAR YEAR 1913; CASE RATES PER ANNUM PER 1,000 POPULATION; AND FATALITY RATES PER 100 CASES, FOR CERTAIN STATES—Continued.

TUBERCULOSIS.

	Estimated population July 1, 1913.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama ¹	2,238,614	94	175	81	163	124	180	69	196	100	178	88	175	63	164
California.....	2,667,516	192	485	33	478	203	500	200	493	141	474	120	446	182	418
Connecticut.....	1,181,793	207	124	148	185	191	133	172	141	152	105	160	126	182	109
District of Columbia.....	348,077	127	60	108	73	93	77	125	77	104	88	110	61	125	62
Hawaii.....	191,909	35	28	58	26	47	37	53	30	50	31	51	28	45	29
Illinois.....	5,904,043	572	542	542	542	617	577	577	577	580	580	509	509	503	503
Indiana.....	2,760,792	327	355	102	327	420	383	383	383	384	384	338	338	320	320
Iowa.....	2,222,472	142	142	102	102	123	123	137	137	136	136	125	125	114	114
Kansas ¹	1,762,573	77	26	55	24	51	29	65	14	68	20	52	15	77	22
Maryland ²	1,330,909	274	98	275	106	274	97	274	93	384	99	248	103	306	95
Massachusetts.....	3,548,705	648	616	616	616	764	764	719	719	830	777	747	747	826	747
Michigan.....	2,936,618	187	203	99	212	95	231	221	249	239	277	212	198	207	244
Minnesota ¹	2,181,077	156	180	169	195	199	232	188	228	232	204	212	214	264	174
Montana ¹	419,174	47	48	48	48	37	37	5	31	6	31	44	31	13	20
Nebraska.....	1,233,122	49	49	46	46	44	44	50	50	50	52	32	38	48	48
Nevada.....	94,722	13	5	12	5	16	4	20	6	14	5	13	5	5	1
New Jersey.....	2,749,486	693	373	575	372	617	424	731	367	841	411	749	313	700	308
New York.....	9,712,334	2,763	1,163	2,584	1,201	3,113	1,395	3,011	1,307	2,686	1,309	2,574	1,107	2,941	1,023
Oklahoma.....	1,038,761	69	50	84	73	84	67	78	67	62	66	56	61	56	53
Oregon.....	736,988	24	46	26	46	31	65	28	60	26	66	51	49	18	51
South Carolina.....	1,579,285	12	14	14	14	32	32	74	74	47	47	31	31	41	41
South Dakota ¹	643,121	3	1	1	1	20	23	10	11	11	21	10	6	3	1
Texas.....	4,044,735	7	6	11	14	20	23	381	10	11	21	10	6	391	12
Virginia.....	2,129,093	355	338	338	338	347	347	381	381	349	349	333	333	391	4
Washington ¹	1,344,686	46	84	67	102	146	110	87	113	76	104	76	107	68	107
Wisconsin.....	2,419,998	127	162	102	155	116	208	165	163	139	195	183	52	129	155
Wyoming.....	163,325	1	1	10	10	2	2	2	2	3	3	4	4	4	7

	August.		September.		October.		November.		December.		Total cases, 1913.	Total deaths, 1913.	Case rate per 1,000 inhabitants.	Fatality rate per 100 cases.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.				
Alabama ¹	76	156	53	174	59	149	86	142	86	157	979	2,009	0.964	
California.....	163	383	204	391	410	442	384	415	339	445	2,371	5,370	1.640	72.93
Connecticut.....	139	113	136	96	137	92	138	95	156	127	1,938	1,396	3.379	68.28
District of Columbia.....	79	64	83	59	80	55	91	57	56	54	1,176	803	2.960	65.85
Hawaii.....	44	37	42	25	44	40	42	31	51	32	1,568	374		
Illinois.....	503	482		482	459	434		434		507		6,285		
Indiana.....	323	273		273	290	286		286		302		3,993		
Iowa.....	166	100		113		85		85		109		1,392		
Kansas.....	46	14	60	11	49	9	72	22	49	17	721	1,222	4.09	30.83
Maryland ²	167	104	375	78	236	85	229	83	257	81	3,299	1,122	2.480	34.01
Massachusetts.....	652		530		563		653		564		8,012	(3)	2.258	
Michigan.....	102	191	213	200	99	163	139	181	117	223	1,926	2,572	1.154	88.87
Minnesota.....	275	186	224	153	206	183	180	123	197	166	2,516	2,226		
Montana.....	15	29	10	30	9	32	16	23	6	29	124	378		
Nebraska.....		35		30		46		34				472		
Nevada.....	7	6	10	5	3	1	15	5	14	4	142	52	1.492	33.62
New Jersey.....	651	316	623	293	631	302	621	309	622	327	8,054	4,109	2.929	51.02
New York.....	2,162	978	2,339	938	2,526	1,012	2,306	1,027	2,164	1,165	31,071	13,637	3.198	43.95
Ohio.....	59	40	72	42	55	32	49	41	63	39	1,683	622	1.408	78.63
Oklahoma.....	31	50	23	37	28	44	26	46	46	29	358	588		
Oregon.....														
South Carolina.....	49		48		30		15		16		409		260	
South Dakota.....	2		4				10		4		34	5	.053	14.71
Utah.....	17	16	12	10	21	14	13	15	16	16	158	164		
Virginia.....	533		353		389		438		390		4,597	(3)	2.159	
Washington.....	84	103	74	98	97	73	73	81	112	115	1,006	1,197		
Wisconsin.....	123	134	81	141	152	123	137	151	167	163	1,621	1,802		
Wyoming.....		5		2		1				3		41		

¹ The health officer states that cases are known not to be completely reported.

² Exclusive of the city of Baltimore.

³ Deaths were not reported.

REPORTED PREVALENCE OF CERTAIN DISEASES, BY MONTHS, DURING THE CALENDAR YEAR 1913; CASE RATES PER ANNUM PER 1,000 POPULATION; AND FATALITY RATES PER 100 CASES, FOR CERTAIN STATES—Continued.

TYPHOID FEVER.

	Estimated population July 1, 1913.	January.		February.		March.		April.		May.		June.		July.	
		Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Alabama.....	2,238,614	67	33	63	15	50	17	38	28	73	32	153	51	226	94
Arizona.....	230,808	1	1			2	4	1	1	1	3	4	4		
California.....	2,667,516	81	22	23	23	53	24	46	23	83	23	95	34	213	47
Connecticut.....	1,181,793	46	4	30	7	11	3	42	3	45	8	41	7	80	16
District of Columbia.....	348,077	25	4	9	4	15	4	12	2	17	3	65	5	70	7
Hawaii.....	191,909	10	6	26	4	23	3	26	7	14	3	20	9	14	5
Idaho.....	378,818					1	1					10	2	12	5
Illinois.....	5,904,043	313	38	208	62	164	30	149	32	177	48	165	45	441	35
Indiana.....	2,760,792	74	26	81	27	53	27	117	27	81	32	96	25	337	47
Iowa.....	2,222,472		23		13		11		13		19		20		15
Kansas.....	1,762,573	32	2	35	5	17	3	15		17	3	41	2	149	9
Maryland.....	1,330,209	105	12	102	7	70	20	93	7	92	14	151	19	425	28
Massachusetts.....	3,538,705	156		137		53		112		95		101		178	
Michigan.....	2,936,618	131	42	112	26	79	33	153	38	169	27	135	27	162	41
Minnesota.....	2,181,077	48	17	68	16	33	14	50	5	25	5	53	7	90	16
Montana.....	119,174	21	4	39	8	39	4	20	6	21	3	17	1	54	5
Nebraska.....	1,233,122	12	5	4		4	2		8				6		
Nevada.....	246,722					47		2		4		5		11	9
New Jersey.....	2,461,486	80	14	53	8	47	8	66	9	107	16	69	14	151	30
New York.....	9,712,964	257	54	221	47	180	55	404	46	348	63	222	49	417	86
Oklahoma.....	1,938,761	60	19	38	9	25	5	139	8	63	19	192	14	406	46
Oregon.....	1,756,988	21	8	17	4	21	3	16	5	9	3	11	1	18	6
South Carolina.....	1,572,285	3		7		33		66		84		128		153	
South Dakota.....	443,121	4				1									
Utah.....	404,755	11		13	2	22	2	31	3	21	2	37	4	107	12
Vermont.....	212,903														
Virginia.....	2,129,003	143		227		115		112		221		668		1,114	
Washington.....	1,344,686	15	3	26	2	31	10	20	3	25	5	32	6	32	14
Wisconsin.....	2,419,808	52	24	28	17	35	17	65	21	55	19	54	13	39	15
Wyoming.....	163,325		1	1	2					4		1	1	6	

	August.		September.		October.		November.		December.		Total cases, 1913.	Total deaths, 1913.	Case rate per annum per 1,000 inhabitants.	Fatality rate per 100 cases.
	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.				
Alabama.....	200	79	170	85	139	53	75	47	49	31	1,303	565	0.582	43.36
Arizona.....	183	49	165	47	284	52	123	56	134	35	1,484	435	.556	29.31
California.....	192	22	238	23	98	12	90	16	41	8	954	129	1.807	13.52
Connecticut.....	72	9	75	2	40	11	35	2	26	4	461	57	1.324	12.36
District of Columbia.....														
Hawaii.....	18	5	20	7	10	4	15	4	19	6	215	63	1.120	29.30
Idaho.....	26	4	56	7	23	12	30	6	18	3	176	44	1.463	23.00
Illinois.....	682	93	826	85	766	107	617	93	438	69	4,926	726	1.834	14.74
Indiana.....	722	112	533	106	486	126	314	80	181	25	3,135	695	1.136	22.17
Iowa.....		23		31		32		22				247		
Kansas.....	299	22	229	13	211	15	151	9	151	9	1,347	92	.764	6.83
Maryland.....	640	60	531	42	407	39	246	34	122	24	2,084	306	2.243	10.25
Massachusetts.....	375		458		365		223		117		2,398	(*)	.678	
Michigan.....	332	52	484	74	287	66	187	60	142	44	2,313	530	1.470	22.91
Minnesota.....	165	14	286	23	245	50	142	33	93	22	1,298	226	.598	17.41
Montana.....	59	4	65	10	108	14	43	11	37	11	523	81	1.248	15.49
Nebraska.....		20		9		13		15				98		
Nevada.....	29	1	55	7	39	7	12	1	8	1	185	18	1.953	9.73
New Jersey.....	293	35	353	44	265	40	163	25	73	11	1,717	254	1.624	14.79
New York.....	620	103	1,338	127	1,177	172	608	121	399	96	6,200	1,001	.638	16.15
Oklahoma.....	516	66	320	49	238	35	180	43	119	26	2,296	339	1.184	14.76
Oregon.....	79	4	53	6	49	13	17	9	9	4	325	66	1.429	20.31
South Carolina.....	177		95		55		47		20		869		.553	
South Dakota.....	11	1	42	2	32	4	25	2	20	5	143	14	.222	9.79
Texas.....	121	10	202	10	180	19	186	11	42	15	973	90	2.404	9.25
Utah.....														
Virginia.....	1,442		783		543		388		212		5,968	(*)	2.803	
Washington.....	165	7	134	14	100	18	54	14	70	25	733	121	.546	16.51
Wisconsin.....	41	16	53	19	108	22	72	10	75	15	677	208	.280	30.72
Wyoming.....	13	6	13	3	16	5	15	4	3	3	72	25	.441	34.72

1 The health officer states that cases are known not to be completely reported.

2 Exclusive of the city of Baltimore.

3 For the first 6 months only.

4 Deaths were not reported.